LOGOTYPE

CABINETS RANGE, COVERS AND STANDS FOR EXTINGUISHERS













Fire Furniture, the design solution to integrate your extinguishers.







A DESIGN SOLUTION

How to integrate a fire extinguisher in the decoration of an establishment?

This question is a major issue for architects and decorators and the technical constraints are frequent.

After long research on shapes and materials, we have developed a complete range of fire furniture and signage.

For one or two fire extinguishers, floor or wall mounted, partially or fully integrated, choose the right aesthetic and regulatory solution.

A MASTERED EXPERTISE

Design, cutting, bending, welding, grinding, degreasing, painting, deburring, sanding,

Each model of fire furniture meets strict manufacturing specifications.

manufacturing and finishing operations are carried out by hand: our profession requires excellence and passion.

Our expertise and the mastery of our tools allow us to offer durable products.

THE ART OF CUSTOMIZATION

We realize your custom projects from the most classic to the most innovative.

After analyzing your request, our design office will meet your qualitative and organizational requirements.

We work from your plans or your specifications and make a prototype according to the complexity of the project.

All our expertise and our machinery are at your service to deliver a 100% customized

CABINET / ALTO SINGLE+ ALTO HIGH CAPACITY



CAN BE INSTALL IN AN ANGLE

VERSION(S) & COLORS

CABINET FOR 1 EXTINGUISHER

TYPE 6L/6 KG OR 9L/9KG OR CO2 5KG

Red or photoluminescent signage

Increased visibility of the extinguisher in the

Drillings for security seal

Instant verification of the opening of the box (not supplied)

Mounting holes on base

DESCRIPTION

Definitive and secure installation of the box on the ground

2 Installations

Wall mounted (screws not included) Placed on the ground on a ballasted base

HIGH CAPACITY MODEL FOR CO2 5KG

5 standard colors





Custom Colors | 180 RAL available on order (additional cost and delay to be expected). From 1 to 6 · Flat rate

Fire extinguisher signage: Wall-mounted or Totem mounted on box

Opening System

From 7: Unit price

System called: «Pivot linkage». Pull on the right side to open.

TECHNIC

Steel Cabinet 20/10e Steel Base 60/10e (optional) Epoxy Powder Painting Red or photoluminescent pvc signage PMMA Totem 8mm (optional)

SIGNAGE TOTEM (OPTIONAL)

2 Sizes

For Alto Single:

Height: 700mm (760mm on base)

Width: 320mm

Depth: 220mm (226mm on base) Weight: 7,5kg (14kg on base)

For Alto High Capacity:

Height: 801mm (857mm on base)

Width: 443mm

Depth: 267mm (273mm on base) Weight: 16,5kg (23,5kg on base)

CABINET / ALTO DOUBLE

The emblematic model of the S&D furniture range, in a version for 2 extinguishers.



CAN BE INSTALL IN AN ANGLE

INSTALLATION AND GROUND ANCHORING (OPTIONAL)

WALL MOUNTED

DESCRIPTION

CABINET FOR 2 EXTINGUISHERS TYPE 6L/6KG OR 9L/9KG + CO2 2KG

Red or photoluminescent signage

Increased visibility of the extinguisher in the

Drillings for security seal

Instant verification of the opening of the box (not supplied)

Mounting holes on base

Definitive and secure installation of the box on the ground

VERSION(S) & COLORS

2 Installations

Wall mounted (screws not included) Placed on the ground on a ballasted base

5 standard colors







Custom Colors | 180 RAL available on order (additional cost and delay to be expected). From 1 to 6 : Flat rate From 7: Unit price

Accessoires

Extinguisher signage plate: Wall-mounted or Totem mounted on box

TECHNIC

Steel Cabinet 20/10e Steel Base 60/10e (optional) Epoxy Powder Painting Red or photoluminescent pvc signage PMMA Totem 8mm (optional)

Sizes

Height: 700mm (760mm on base)

Width: 435mm

Depth: 245mm (251mm on base) Weight: 11,5kg (19kg on base)

Opening system

System called: «Pivot linkage». Pull on the

right side to open.

CABINETS

Completely dressing the fire extinguisher Can be floor and/or wall mounted



Scan to discover the full range

Brochure, color chart, visual, video, 3D, technical file, etc.







CABINET / HARMONY

A simple shape that adapts to any places



CUSTOMIZABLE DOOR AND CABINET



FLOOR STANDING WITH OR WITHOUT BASE



WALL MOUNTING

DESCRIPTION

CABINET FOR 1 EXTINGUISHER TYPE 6L/6 KG OR 9L/9KG OR CO2 2KG

Red or photoluminescent signage Increased visibility of the extinguisher in the

Rear Masking Plate

Aluminum plate to cover the rear of the cabinet (optional)

400x finishes for the door

A unique range offering an infinite number of combinations

3 Installations

Wall mounted (screws not included) Floor standing on ballasted base (optional) Floor standing on glued skates (supplied)

VERSION(S) & COLORS

16x standard colors - cabinet







Custom Colors | 180 RAL available on order

(additional cost and delay to be expected). From 1 to 6: Flat rate From 7: Unit price

16x standard colors - door

+100x standard finishes, distributed over 9x shades (wood, stone, matte, metallic, mirrors, ...). On order +180 RAL and +100 acrylic glass colors. Available: print of a logo or a decoration on the door.

Opening system

System called: «Pull-and-pull». The door is inserted into two lugs and held in place by a

TECHNIC

Steel Cabinet 20/10e Steel Base 50/10e (optional) **Epoxy Power Coating** Red or photoluminescent pvc signage PMMA Totem - 8mm (optional)

2 Sizes

Height: 720mm (770mm on base)

Width: 290mm Depth: 210mm

Weight: 9,2kg (11,2kg on base)

Accessories

Ballasted base

Fire extinguisher signage plate: wall mounting or totem mounted on cabinet Rear masking plate

CABINET/OPERA

The Opera model exists in 3 bi-color combinations



WALL OR FLOOR MOUNTED





SIGNAGE TOTEM (OPTIONAL)

DESCRIPTION

CABINET FOR 1X EXTINGUISHER TYPE: 6L/6KG OR 9L/9KG OR CO2 2KG

Red or photoluminescent pictogram

Increased visibility of the extinguisher in the

Base included

A design that allows for wall and floor installation without additional costs

Installation of the fire extinguisher

Drilling on the back of the structure to screw in the approved support bracket

VERSION(S) & COLORIS

Wall mounted

3 standard bi-colors



Custom Colors | 180 RAL available on order (additional cost and delay to be expected). From 1 to 6: Flat rate

Fire extinguisher signage plate: wall mounting or totem mounted on cabinet STEEL STRUCTURE 25/10th STEEL COVER 12/10th EPOXY POWDER COATING RED OR PHOTOLUMINESCENT PICTOGRAM

Dimensions

TECHNIQUE

HEIGHT: 780mm WIDTH: 300mm DEPTH: 210mm WEIGHT: 12kg / 26.45lbs

Opening system

System Called: «Lift - Place». Le capot est emboité sur le socle

CABINET / SOPRANO

In one or bi-colors. The model with the largest interior volume



OPENING SYSTEM LIFT - PLACE



WALL OR FLOOR MOUNTED











MONO OR BI-COLOR

VERSION(S) & COLORIS







Custom Colors | 180 RAL available on order (additional cost and delay to be expected). From 1 to 6: Flat rate From 7: Unit price

Corner wall bracket

Extinguisher Signage Plate: wall-mounted or on a totem pole mounted on an enclosure Rear masking plate Maintaining Plate for CO2 2kg

TECHNIC

Steel cabinet 12/10e Steel base 20/10e (optional) Epoxy powder coating Red or photoluminescent pvc signage PMMA totem - 8mm (optional)

Height: 700mm (760mm on base) Width: 320mm

Depth: 220mm (226mm on base) Weight: 7,5kg (14kg on base)

Opening System

System called: «Lift and place». The cover is nested on the base



DESCRIPTION

CABINET FOR 1 EXTINGUISHER TYPE 6L/6 KG OR 9L/9KG OR CO2 2KG

Red or photoluminescent signage Increased visibility of the extinguisher in the

Rear Masking Plate

Aluminum plate to cover the rear of the cabinet (optional)

Mounting holes on base Definitive and secure installation of the box

2 Installations Wall mounted (screws not included) Floor standing (base included)

on the ground



















OPENING SYSTEM LIFT - PLACE

2 Setup

And/or placed on the floor



From 7: Unit price

Accessories

Partially covering the extinguisher Exclusively fixed to the wall



Scan to discover the full range Brochure, color chart,

visual, video, 3D, Technical Files, etc.



LIFTING COVER / CINTRO

Its simplicity will bring elegance to any space



ANODIZED OR PAINTED ALUMINUM



WALL-MOUNTED (FASTENER INCLUDED)



NO ANGLE - ALL CURVED

DESCRIPTION

COVER FOR 1 EXTINGUISHER TYPE 6L/6KG OR CO2 2KG

Extnguisher Signage

Adhesive vinyl (ready to install): red or black

Minimalist Design

No protruding angles - Effective protection of the facility's users

Easy Access

Mounted on two included mounting support (screws not included)

Fire extinguisher signage: wall mounting

VERSION(S) & COLORS


1 Installation

Wall mounted (support included, screws not included

Anodized Aluminum: 4x standard colors









Custom Colors | 180 RAL available on order (additional cost and delay to be expected). From 1 to 10: Flat rate From 11: Unit price

TECHNIC

Cut and rolled aluminum

Surface treatment: anodization or epoxy

powder coating Adhesive signage included

Sizes


Heiaht: 730mm Width: 300mm Depth: 210mm Weight: 2KG

Opening System

System called: «Lift and place»

LIFTING COVER / OPUS + OPUS EXTENDED

Choice of two rot-proof and rust-proof materials



WALL MOUNTED (SUPPORT INCLUDED)









COMPOSITE OR PAINTED ALLIMINUM

LIFTING COVER / CAMEO

Two-material styling offers subtle visibility of the extinguisher



PAINTED ALUMINUM + POLYCARBONATE



RED OR PHOTOLUMINESCENT SIGNAGE



WALL MOUNTED

DESCRIPTION

COVER FOR 1 EXTINGUISHER TYPE 6L/6KG OR 9L/9KG OR CO2 2KG EXTENDED VERSION AVAILABLE FOR EXTINGUISHER TYPE 9L/9KG

Photoluminescent signage

Increased visibility of the extinguisher in the dark

Aluminum

Rot-proof and stainless material

Opening system

System called «lift and place». It is placed on a support (included) screwed to the wall (screws not included)

VERSION(S) & COLORS

1 Installations

Wall mount - fixing support included (screws not included)

Painted Aluminum: 5x standard colors

Œ





Composite Aluminum: 10x Standard








RED OR PHOTOLUMINESCENT SIGNAGE







Custom Colors | 180 RAL available on order (additional cost and delay to be expected). From 1 to 10 : Flat rate From 11: Unit price

TECHNIC

2 materials of your choice available: Aluminum 20/10e - Epoxy Paint Composite Aluminum 30/10e Red or photoluminescent Signage

2 Heights

H749mm: for 6L/6KG or CO2 2KG H849mm: for 9L/9KG

Width: 290mm Depth: 211mm

Weight: 2,5KG (3kg in height 849mm)

Accessory

Fire extinguisher signage: wall mounting

DESCRIPTION

COVER FOR 1 EXTINGUISHER

TYPE 6L/6KG OR CO2 2KG

Red or photoluminescent signage Increased visibility of the extinguisher in the

Bi-material design

Modern style painted steel and polycarbonate

Shock resistant

Polycarbonate 350 times stronger than glass

VERSION(S) & COLORS

1 Installation

Wall mounted (screws not included)

2 standard colors



Custom Colors | 180 RAL available on order (additional cost and delay to be expected). From 1 to 10: Flat rate From 11: Unit price

Accessory

Fire extinguisher signage: wall mounting

TECHNIC

Aluminum cover 20/10th **Epoxy Powder Paint** Red or photoluminescent signage 20/10th polycarbonate front and cover Transparent or frosted

Sizes

Height: 760mm Width: 280mm Depth: 210mm Weight: 5KG

Opening System

System called: «Lift and place»

6 Lifting covers & fixed covers

LIFTING COVER / VOLUTO From 6x units

An avant-garde style and the first product in the range to be delivered flat-packed: fully removable



MONO OR BI-COLOR

DESCRIPTION

COVER FOR 1 EXTINGUISHER TYPE 6L/6KG OR 9L/9KG OR CO2 2KG

Clever: completely removable, delivered flat

Easy assembly without tools (screws included)

Mono or bi-color

Structure | Cover + sides in the same or different colours

Opening system

System called «lift and place». It is placed on a support (included) screwed to the wall (screws not included)

VERSION(S) & COLORIS

Structure | Cover + sides : 21x standard colours: 16x fine texture + 5x satin

Two-colour process on standard colours available from 6x units.

Custom colours | 180 RAL available on order (extra cost and time required) From 1 to 10: flat rate From 11: unit price

TECHNIC

Steel cover 12/10e **Epoxy Powder Painting** Red or photoluminescent Signage

RED OR PHOTOLUMINESCENT SIGNAGE


Sizes

Height: 757mm Width: 348mm Depth: 229mm Weight: 4kg

1 Installation Wall mounted

Accessory

Fire extinguisher signage: wall mounting



FIXED COVER / REVERSO

 180° rotatable, it adapts to unusual and modern establishments





FIXED TO THE WALL - REVERSIBLE INSTALLATION









RED SIGNAGE

DESCRIPTION

COVER FOR 1 EXTINGUISHER TYPE 6L/6KG OR 9L/9KG OR CO2 2KG

Extinguisher Signage

Adhesive vinyl (ready to apply): red

Sloping top

Prevents the placement of unwanted objects

Opening System

Free system. 180° swivel, easy extraction to the left or right

VERSION(S) & COLORS

1 Installation

Reversible wall mounted

16 standard colors

Custom colors: From 1 to 15: flat rate. From 16 and more: unit price.

Accessory

Fire extinguisher signage: wall mounting

TECHNIC

Steel cover 20/10th **Epoxy Powder Painting** Adhesive signage included

Sizes

Height: 701mm Width: 330mm Depth: 222mm Weight: 11KG



Lifting covers & fixed covers / 9 8 \ Lifting covers & fixed covers

Partially covering the extinguisher Can be freely arranged in the space



Scan to discover the full range

Brochure, color chart, visual, video, 3D, technical file, etc.



STAND & FIXED COVER / TEMPO

Dual function, increased freedom for easy integration into any facility



RED OR PHOTOLUMINESCENT SIGNAGE





WALL-MOUNTED AND/OR FLOOR-STANDING

DESCRIPTION

STAND FOR 1 EXTINGUISHER TYPE 6L/6KG OR 9L/9KG OR CO2 2KG

2 Installations

To be fixed to the wall and placed on the floor on a base

Mono, Bi ou Tri Colors

Faceplate, support ring and base in the same or different colors

Accessories

Fire extinguisher signage: wall mounting Maintaining CO2 2 KG Pharmacy kit holder Stand

VERSION(S) & COLORS

Front + Support ring: 21x standard colors: 16x fine texture + 5x satin



Base: 21 standard colors + 4 finishes of PMMA 8mm

Custom color | 180 RAL available on order (extra cost and delay to be expected) For ring and front panel: From 1 to 10: flat rate. From 11 and more: unit price.

For base: from 1 to 28: flat rate. From 29 and more: unit price.

TECHNIC

Steel facade 20/10e Steel support ring 40/10e Steel Base 40/10e ou Acrylic Glass 8mm Epoxy Powder Painting Red or photoluminescent signage

Sizes

Height: 761mm (769mm on PMMA base,

765mm on steel base)

Width: 290mm (336mm on base) Depth: 222mm (249mm on base) Weight: 9kg (9,8kg on PMMA base, 9,7kg on

steel base)

Opening System

The «free» system. Simply pull the extinguisher to one side to remove it from

the stand



SIGNAGE TOTEM (OPTIONAL)









ITS SHAPE PROTECTS THE TANK OF THE EXTINGUISHER

STAND / PLOT Ø120MM OR Ø190MM*

Subdued, discreet, they blend with simplicity in an environment





STAND FOR 1 EXTINGUISHER

VERSION(S) & COLORS

2 diameters

190mm: FOR 6L/6KG OR 9L/9KG OR CO2

WALL-MOUNTED AND/OR FLOOR-STANDING

110mm: FOR CO2 2KG

From 1 to 10: Flat rate

From 11: Unit price

5 standard colors

INTERIOR CUTOUT Ø120MM OR ø190MM

2 Installations To be fixed to the wall and/or placed on the

TYPE 6L/9L OR 6KG/9KG OR CO2 2KG

(SOME OF THE CO2 5KG IN THE 190MM

Signage Totem

DIAMETER)

DESCRIPTION

Ideal accessory in front of a glass surface

*Also available with Dubernard extinguisher

Safety roll bar

Protection of the extinguisher against

Fire extinguisher signage: wall-mounted or totem mounted on stand

Custom Colors | 180 RAL available on order

(additional cost and delay to be expected).

TECHNIC

Steel Stand 50/10e

Epoxy Powder Painted PMMA - Totem 8mm (optional)

Sizes


Height: 220mm (787mm with totem)

Width: 250mm

Depth: 250mm (260mm with totem) Weight: 4,5KG (5,5KG with totem) ø120MM ou 4KG (5KG with totem) ø190MM

Opening system

The «free» system. Simply lift the extinguisher to remove it from the stand



Stands 10 Stands

CHOOSE YOUR FURNITURE ACCORDING TO YOUR NEEDS



Find all our products on

1 11 1	a an oar products on															
God	ogle Drive 스				CABIN	ETS					COVER	es .				STANDS
		HARMOT	ALTO SINC	it topoly	ale altohc	SOPRANO	OPERA	CINTRO	OPUS	OPUSE.	CAMEO	REVERSO	VOLUTO	PLOTIZOT	prof 190th	r rempo
5₹7	Extinguisher type (subject to dimensional verification)	HA	ALL	AL	ALL	40°	OV.	CIT	o _X	OV.	CA	DE.	10,	PI	PLO	4ET
\bigcap	6L-6Kg	~		~	~	~	~	~	~	~	~	~	~	_	~	~
	9L-9Kg	~		~	~	~	~	-	-	~	_	~	~	_	~	~
	CO2 2Kg	~	~	~	~	~	~	~	~	~	~	~	~	~	_	~
	CO2 5Kg	_	_	_	~	_	_	-	-	_	-	-	_	_	~	_
	2x 6L-6Kg - CO2 2Kg	_	_	~	~	_	-	-	-	_	-	-	_	-	-	-
111	Type of furniture installation	-1	1			'		'	'			,				
#	Wall-mounted	~	~	~	~	~	~	~	~	~	~	~	~	~	~	~
	Corner Wall-mounted	_	-	-	-	~	_	-	-	-	-	-	-	-	-	_
	Free on the floor (ex: hall - glass surface)	~	~	~	~	~	~	-	-	-	-	-	-	~	~	~
	Floor-mounted (leaning against the wall)	~	~	~	~	~	~	-	-	-	-	-	-	~	~	~
	Floor installation in wall corners	_	~	~	~	_	_	-	-	_	_	_	-	~	~	_
	Ground anchoring (drilling of the base)	~	~	~	~	~	-	-	-	-	-	-	-	-	-	~
\Box	Furniture Opening System	•										·				
$\lfloor \cdot \rfloor$	Lift and place (cover)	-	-	-	-	~	~	~	~	~	~	-	~	-	-	-
7	Pull-out (door)	~	-	-	-	-	-	-	-	-	-	-	-	-	_	_
	Pivot link (door)	-	~	~	~	-	-	-	-	-	-	-	-	-	-	-
	Free (direct access)	-	-	-	-	-	-	-	-	-	-	~	-	~	~	~
\Box	Position of the fire extinguisher															
-1-	Free (placed in the furniture)	~	~	~	~	~	~	-	-	-	-	-	-	~	~	~
•	On approved support	~	-	-	-	-	~	~	~	~	~	~	~	-	-	~
	CO2 holding ring 2Kg (optional)	-	-	-	-	-	_	-	-	_	-	-	-	-	-	~
_	CO2 holding plate 2Kg (optional)	-	_	_	_	~	-	_	_	_		-	-			
	Customization					1						_				
•	180 RAL colors (on request)	~	~	~	~	~	~	~	~	~	~	~	~	~	~	~
	170 PMMA shades (on demand)	~	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	270 Polyrey decorations (on demand)	~	-	-	-	-	-	-	-	-	_	-	-	-	-	-
	10 Aluminum composite colors (on demand)	V	-	-	-	-	_	-	~	~	-	-	_	_	-	-
	Logo printing	~	_	_	_	_	_	_	_	_	_	_	_	_	-	~
\Diamond	Decoration printing	~		_	_		_	_	_			_	_	_	_	•
	Style Material Colors Partial cover (visible fire extinguisher)	_	_	_	_	_	_	~	_	_	~	~	-	~	~	~
*	Total covering (extinguisher not visible)	~	~	~	~	~	~	-	~	~	_	-	~	-	-	_
	Monochrome				~	~	_	~	~	~	~	~	~	~	~	~
	Bi/Tri-chrome	~	-	-	-	~	~	-	-	-	~	-	~	-	-	~
	Painted Steel	~	~	~	~	~	~	-	-	-	-	~	~	~	~	~
	Painted Aluminum	~	-	-	-	-	-	~	~	~	~	-	-	-	-	_
	Anodized Aluminum	~	-	-	-	-	-	~	-	-	-	-	-	-	-	_
	Composite Aluminum	~	-	-	-	-	-	-	~	~	-	-	-	-	-	_
	PMMA (acrylic glass)	~	-	-	-	-	-	-	-	-	-	-	-	-	-	~
	Polycarbonate	_	-	-	-	-	-	-	-	-	~	-	-	-	-	-
	HPL laminate (Polyrey)	~	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Natural woods (veneer)	~	-	-	-	-	-	-	-	-	-	-	-	-	-	_
	Genuine stones (veneer)	~	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<u> </u>	Extinguisher signage					1								1		
⊔≉	Red integrated (PVC or vinyl)	~	~	~	~	~	~	~	~	~	~	~	~	-	-	~
	integrated photoluminescent (on demand)	~	~	~	~	~	~	-	~	~	~	-	~	-	-	~
	Wall plate (optional)	~	~	~	~	V	~	~	~	~	~	~	~	~	~	~
	Totem (optional)	~	~	~	~	~	~	_	_	-	_	-	-	~	~	~

WHERE TO INSTALL THE FIRE FURNITURE?

Hotel, restaurant, museum, airport, office, retirement home, store, showroom, shopping mall, cinema, place of worship...

At CSID, every project is unique.

Discover in this space a selection of remarkable places equipped with S&D products.

We would like to thank our reseller partners, installers and customers who have trusted us.







WHY INSTALL FIRE FURNITURE??



Security

Protect the extinguisher

Against deliberate damage: vandalism Against unintentional damage : shocks

It is the guarantee of a working extinguisher and savings at the end of the day



Technic

Integrate the extinguisher

Respond to the constraints
related to the building's
specificities
Respond to the constraints
related to the users of the
building

The guarantee of a compliant and functional installation



Design

Dress the extinguisher

Responding to the integration desire into the decor
Respond to the desire for innovation and avant-gardism

The guarantee of a visible fire extinguisher installed in the recommended place

PRESENTATION TOOLS / SALES TOOLS

Physical and digital tools intended for retailers and prescribers to facilitate the presentation of our products and the understanding of our ranges.

Available as a conditional loan or as a final purchase with a deferred payment offer.



STANDARD & CUSTOM COLOUR CHART



Get access to Standard colour chart + Custom colour chart

1000	1901	1002	1903	1004	1005	1006	1007	1011	1012
1013	1014	1015	1016	1017	1018	1019	1800	1021	1823
1924	1826	1027	1028	1092	1033	1034	1005	1016	1887
3000	3001	2002	2003	2004	2005	2007	2008	2009	3010
2011	2012	2013	3000	3001	3002	3005	3004	3005	3007
3009	3011	3012	3013	3014	3015	3016	3017	3018	3020
3022	3024	3026	3027	3031	3032	3033	4001	4002	4903
4904	4905	4006	4007	4008	4000	4010	4011	4012	5000
5801	5802	5003	5004	5005	5007	5008	5809	5010	5061
5012	5013	5014	5015	5017	5018	5019	5600	5021	5822
5023	5804	5025	5036	6000	6001	6002	6003	6004	6005
6006	6807	6008	6009	6010	6011	6012	6013	6014	6015
6016	6017	6018	6019	6020	6021	6022	6624	6025	6826
6027	6028	6029	6032	6033	6034	6035	6006	7900	7901
7902	7903	7904	7005	7006	7008	7009	7010	2011	7912
2013	3915	2019	7021	7022	7023	7034	7606	7030	7801
7932	7953	7034	7035	7036	2037	7038	2009	7949	7942
7943	7944	7545	7946	7047	7048	8000	8001	8002	8903
8904	8907	8008	8011	8012	8014	8015	8016	8017	8019
8022	8823	8024	8925	8028	8029	9001	9002	9003	9904
9005	9006	9007	9010	9011	9016	9017	9018	9022	9823

If the shades on our standard colour charts do not meet your needs

Use the custom RAL colour chart

+ 180 colours to choose from the classic RAL colour chart

(Other specific RAL on demand)

Extracost and delay to be foreseen according to furniture, colour and quantity ordered



Fire Furniture Range





Designer - Creator - Manufacturer since 2009

SECURITE & **DESIGN** - A trademark of CSID - Creative Solutions for Industrial Design - 25 Rue de Ponthieu 75008 Paris





Distributed by:

ENTREPRISE NAME



Adress



U Number



™ mail@exempl.com



www.website.com